

- 2006 1 再発性脈絡膜血管腫に対して光線力学的療法が有効であった1例
庄司拓平(千原眼科千原眼科医院), 高橋宏和, 朴真紗美, 千原悦夫
臨床眼科(0370-5579)60巻3号 Page389-394(2006.03)
- 2 光線力学的療法によって対照的な視力経過をとったポリープ状脈絡膜血管症の2例
林妍, 朴真紗美, 高橋宏和, 庄司拓平, 千原悦夫
臨床眼科(0370-5579)60巻8号 Page1513-1519(2006.08)
- 3 Takahashi H, Goto T, Shoji T, Tanito M, Park M, Chihara E.
Diabetes-associated retinal nerve fiber damage evaluated with scanning laser polarimetry.
Am J Ophthalmol. 2006 Jul;142(1):88-94.
- 2007 4 Shoji T, Takahashi H, Park M, Okazaki K, Tanito M, Chihara E.
Prospective evaluation of factors associated with post-LASIK corneal birefringence with scanning laser polarimetry.
J Glaucoma. 2007 Jan;16(1):137-45.
- 5 陸上自衛隊員における屈折異常有病率と屈折矯正方法、および屈折矯正手術に対する印象
庄司拓平, 新富敬子, 金崎隆晃, 小松芳行, 西川真平, 櫻井裕
防衛衛生(0006-5528)54巻4号 Page101-107(2007.04)
- 6 Shoji T, Tanito M, Takahashi H, Park M, Hayashi K, Sakurai Y, Nishikawa S, Chihara E.
Phacoviscocanalostomy versus cataract surgery only in patients with coexisting normal-tension glaucoma: midterm outcomes.
J Cataract Refract Surg. 2007 Jul;33(7):1209-16.
- 2008 7 経毛様体扁平部挿入型インプラントで治療した難治緑内障
足立初冬(千原眼科千原眼科医院), 高橋宏和, 庄司拓平, 岡崎一白, 林妍, 千原悦夫
日本眼科学会雑誌(0029-0203)112巻6号 Page511-518(2008.06)
- 8 Park M, Hayashi K, Takahashi H, Shoji T, Chihara E.
Risk factors for uncontrolled intraocular pressure after phacoviscocanalostomy.
J Glaucoma. 2008 Sep;17(6):431-5.
- 2009 9 Shoji T, Sakurai Y, Chihara E, Nishikawa S, Omae K.
Reference intervals and discrimination values of the Lanthony desaturated D-15 panel test in young to middle-aged Japanese army officials: the Okubo Color Study Report 1.
Eye. 2009 Jun;23(6):1329-35
- 10 Chihara E, Okazaki K, Takahashi H, Shoji T, Adachi H, Hayashi K.
Modified deep sclerectomy (D-lectomy MMC) for primary open-angle glaucoma: preliminary results.
J Glaucoma. 2009 Feb;18(2):132-9.
- 11 Oku Y, Oku H, Park M, Hayashi K, Takahashi H, Shouji T, Chihara E.
Long axial length as risk factor for normal tension glaucoma.
Graefes Arch Clin Exp Ophthalmol. 2009 Jun;247(6):781-7
- 2010 12 Shoji T, Sakurai Y, Sato H, Chihara E, Ishida M, Omae K.
Serum low-density lipoprotein cholesterol level is strong risk factor for acquired color vision impairment in young to middle-aged Japanese men: The Okubo Color Study Report 2.
Atherosclerosis. 2010 Jun;210(2):542-7. Epub 2009 Dec 1.
- 2011 13 Shoji T, Sato H, Ishida M, Takeuchi M, Chihara E.
Assessment of glaucomatous changes in subjects with high myopia using spectral domain optical coherence tomography.
Invest Ophthalmol Vis Sci. 2011 Feb 25;52(2):1098-102.
- 14 Shoji T, Sakurai Y, Sato H, Chihara E, Takeuchi M
Do patients without diabetic retinopathy or subjects with impaired fasting glucose have impaired color vision? : the Okubo Color Study Report
Diabet Med. 2011 Jul;28(7):865-71.
- 2012 15 Shoji T, Nagaoka Y, Sato H, Chihara E.
Impact of high myopia on the performance of SD-OCT parameters to detect glaucoma.
Graefes Arch Clin Exp Ophthalmol. 2012 Dec;250(12):1843-9. May 4. PubMed PMID: 22555896
- 2013 16 Shoji T, Sato H, Mizukawa A, Hirota N, Enoki T, Kojima T, Kanda T, Takeuchi M.
Hypotensive effect of latanoprost/timolol versus travoprost/timolol fixed combinations in NTG patients: a randomized, multicenter, crossover clinical trial.
Invest Ophthalmol Vis Sci. 2013 Sep 17;54(9):6242-7.
- 2014 17 Harimoto K, Kato N, Shoji T, Goto H, Tokuno S, Fujii M, Takeuchi M.
Trends of refractive correction in the Japanese Ground Self-Defense Forces: examination after the Great East Japan earthquake
Nihon Ganka Gakkai Zasshi. 2014 Feb;118(2):84-90.
- 18 Ueyama K, Mori K, Shoji T, Omata H, Gehlbach PL, Brough DE, Wei LL, Yoneya S.
Ocular Localization and Transduction by Adenoviral Vectors Are Serotype-Dependent and Can Be Modified by Inclusion of RGD Fiber Modifications.
PLoS One. 9:e108071.2014
- 19 Shoji T, Kuroda H, Suzuki M, Baba M, Hangai M, Araie M, Yoneya S.
Correlation between Lamina Cribrosa Tilt Angles, Myopia and Glaucoma Using OCT with a Wide Bandwidth Femtosecond Mode-Locked Laser.
PLoS One. 2014 Dec 31;9(12):e116305
- 20 尾股秀和, 上山数弘, 庄司拓平, 米谷新
加齢黄斑変性に硝子体出血を併発した患者の視力予後と背景因子
眼科臨床紀要 7(5), 343-345, 2014
- 2015 21 Shoji T, Kuroda H, Suzuki M, Baba M, Araie M, Yoneya S.
Three-dimensional optic nerve head images using optical coherence tomography with a broad bandwidth, femtosecond, and mode-locked laser.
Graefes Arch Clin Exp Ophthalmol. 2015 Feb;253(2):313-21
- 22 Shoji T, Sato H, Chihara E, Sakurai Y.
Are Middle-Age Blood Pressure Levels Related to Color Vision Impairment? The Okubo Color Study.
Am J Hypertens. 2015, 28:98-105.
- 23 横佐古 加奈子, 庄司 拓平, 上山 数弘
EX-PRESSを用いた濾過手術の術直後結果に影響を及ぼす因子の検討 (特集 第68回日本臨床眼科学会講演集(5))
臨床眼科 69(7), 987-991, 2015-07
- 2016 24 庄司拓平
広帯域モード・ロックレーザー光源OCTを用いた篩状板傾斜角測定と緑内障・近視の関連. 平成27年度日本眼科学会学術奨励賞 受賞論文総説
日本眼科学会雑誌 120 (11): 764-771, 2016

- 2017 25 Shoji T, Kuroda H, Suzuki M, Ibuki H, Araie M, Yoneya S.
Vertical asymmetry of lamina cribrosa tilt angles using wide bandwidth, femtosecond mode-locked laser OCT; effect of myopia and glaucoma.
Graefes Arch Clin Exp Ophthalmol. 2017;255(1):197-205
- 26 Shoji T, Kato N, Ishikawa S, Ibuki H, Yamada N, Kimura I, Shinoda K
In vivo crystalline lens measurements with novel swept-source optical coherent tomography: an investigation on variability of measurement.
BMJ Open Ophthalmology. 2017;1(1):e000058
- 27 Shoji T, Kuroda H, Suzuki M, Ibuki H, Araie M, Yoneya S.
Glaucomatous changes in lamina pores shape within the lamina cribrosa using wide bandwidth, femtosecond mode-locked laser OCT
PLoS One. 2017 12:e181675
- 28 Shoji T, Zangwill LM, Akagi T, Saunders LJ, Yarmohammadi A, Manalastas PIC, Pentead RC, Weinreb RN
Progressive Macula Vessel Density Loss in Primary Open Angle Glaucoma: A Longitudinal Study
Am J Ophthalmol. 2017; 182:107-117
- 29 Manalastas PIC, Zangwill LM, Saunders LJ, Mansouri K, Belghith A, Suh MH, Yarmohammadi A, Pentead RC, Akagi T, Shoji T, Weinreb RN.
Reproducibility of Optical Coherence Tomography Angiography Macular and Optic Nerve Head Vascular Density in Glaucoma and Healthy Eyes.
J Glaucoma. 2017 Oct;26(10):851-859.
- 2018 30 Manalastas PIC, Zangwill LM, Daga FB, Christopher MA, Saunders LJ, Shoji T, Akagi T, Pentead RC, Yarmohammadi A, Suh MH, Medeiros FA, Weinreb RN.
The Association Between Macula and ONH Optical Coherence Tomography Angiography (OCT-A) Vessel Densities in Glaucoma, Glaucoma Suspect, and Healthy Eyes.
J Glaucoma. 2018 Mar;27(3):227-232.
- 31 Ghahari E, Bowd C, Zangwill LM, Suh MH, Shoji T, Hasenstab KA, Saunders LJ, Moghimi S, Hou H, Manalastas PIC, Pentead RC, Weinreb RN.
Macular Vessel Density in Glaucomatous Eyes with Focal Lamina Cribrosa Defects.
J Glaucoma. 2018 Apr;27(4):342-349.
- 32 Hou H, Shoji T, Zangwill LM, Moghimi S, Saunders LJ, Hasenstab K, Ghahari E, Manalastas PIC, Akagi T, Christopher M, Pentead RC, Weinreb RN.
Progression of Primary Open Angle Glaucoma in Diabetic and Non-diabetic Patients
Am J Ophthalmol. 2018 May;189:1-9
- 33 Hou H, Moghimi S, Zangwill LM, Shoji T, Ghahari E, Manalastas PIC, Pentead RC, Weinreb RN.
Inter-eye Asymmetry of Optical Coherence Tomography Angiography Vessel Density in Bilateral Glaucoma, Glaucoma Suspect, and Healthy Eyes.
Am J Ophthalmol. 2018 Jun;190:69-77.
- 34 Pentead RC, Zangwill LM, Daga FB, Saunders LJ, Manalastas PIC, Shoji T, Akagi T, Christopher M, Yarmohammadi A, Moghimi S, Weinreb RN.
Optical Coherence Tomography Angiography Macular Vascular Density Measurements and the Central 10-2 Visual Field in Glaucoma.
J Glaucoma. 2018 Jun;27(6):481-489
- 35 Moghimi S, Zangwill LM, Pentead RC, Hasenstab K, Ghahari E, Hou H, Christopher M, Yarmohammadi A, Manalastas PIC, Shoji T, Bowd C, Weinreb RN.
Macular and Optic Nerve Head Vessel Density and Progressive Retinal Nerve Fiber Layer Loss in Glaucoma.
Ophthalmology. 2018 Nov;125(11):1720-1728
- 36 Akagi T, Saunders L.J., Shoji T., De Moraes, C.G., Skaat, A., Manalastas, P.I.C., Girkin, C.A., Liebmann, J.M., Zangwill, L.M., Weinreb, R.N..
Association between Rates of Retinal Nerve Fiber Layer Thinning and Previous Disc Hemorrhage in Glaucoma
Ophthalmology Glaucoma 1: 23-31.2018
- 37 Yoshikawa Y, Shoji T, Kanno J, Kimura I, Hangai M, Shinoda K
Optic disc vessel density in nonglaucomatous and glaucomatous eyes: an enhanced-depth imaging optical coherence tomography angiography study.
Clin Ophthalmol. 2018 Jun 19;12:1113-1119.
- 38 吉川祐司, 庄司拓平, 菅野順二, 尾崎公威, 石井宏和, 伊吹寿士, 木村至, 篠田啓
Swept-source光干渉断層計angiographyを用いた乳頭周囲血管密度の定量化と再現性の検討
日本眼科学会雑誌 122(9): 685-692, 2018.
- 39 Akagi T, Zangwill LM, Shoji T, Suh MH, Saunders LJ, Yarmohammadi A, Manalastas PIC, Pentead RC, Weinreb RN
Optic disc microvasculature dropout in primary open-angle glaucoma measured with optical coherence tomography angiography.
PLoS One. 2018 Aug 7;13(8):e0201729. doi: 10.1371/journal.pone.0201729. eCollection 2018.
- 40 Yoshikawa Y, Shoji T, Kanno J, Ibuki H, Ozaki K, Ishii H, Ichikawa Y, Kimura I, Shinoda K
Evaluation of microvascular changes in the macular area of eyes with rhegmatogenous retinal detachment without macular involvement using swept-source optical coherence tomography angiogra
Clin J Ophthalmol 2018, 12:2059-2067
- 41 吉川 祐司, 庄司 拓平, 菅野 順二, 伊吹 寿士, 尾崎 公威, 石井 宏和, 宮坂 洋輔, 木村 至, 篠田 啓
スウェプトソース光干渉断層計アンギオグラフィーを用いた緑内障患者における網膜血管密度、中心窩無血管帯の変化
眼科臨床紀要 (1882-5176)11巻12号 Page890-895(2018.12)
- 42 米谷 新, 庄司 拓平, 木村 至, 新家 眞
Lamina cribrosaの生体内全層観察で緑内障の謎にせまる
日本の眼科 (0285-1326)90巻12号 Page1602-1605(2019.12)
- 43 Shoji T, Yoshikawa Y, Kanno J, Ishii H, Ibuki H, Ozaki K, Kimura I, Shinoda K
Reproducibility of Macular Vessel Density Calculations via Imaging with Two Different Swept-Source Optical Coherence Tomography Angiography Systems
Trans Vis Sci Tech. 2018;7:31
- 44 庄司 拓平, 篠田 啓, 新家 眞
広帯域広角光干渉断層計を用いた緑内障特異的脆弱部位の網羅的探索
大和証券ヘルス財団研究業績集 42号 Page14-17(2019.03)
- 2019 45 Hou H, Moghimi S, Zangwill LM, Shoji T, Ghahari E, Pentead RC, Akagi T, Manalastas PIC, Weinreb RN.
Macula Vessel Density and Thickness in Early Primary Open Angle Glaucoma.
Am J Ophthalmol. 2019 Mar;199:120-132
- 46 Ghahari E, Bowd C, Zangwill LM, Proudfoot J, Hasenstab KA, Hou H, Pentead RC, Manalastas PIC, Moghimi S, Shoji T, Christopher M, Yarmohammadi A, Weinreb RN.
Association of Macular and Circumpapillary Microvasculature with Visual Field Sensitivity in Advanced Glaucoma
Am J Ophthalmol. 2019 Mar 13. pii:S0002-9394(19)30102-3
- 47 Ozaki K, Yoshikawa Y, Ishikawa S, Katsumoto T, Shibuya M, Shoji T, Kondo H, Matsumoto S, Shinoda K.
Electroretinograms recorded with skin electrodes in silicone oil-filled eye
PLoS One. 2019 May 31;14(5):e0216823
- 48 Ishii H, Shoji T, Yoshikawa Y, Kanno J, Ibuki H, Shinoda K.
Automated Measurement of the Foveal Avascular Zone in Swept-Source Optical Coherence Tomography Angiography Images.
Transl Vis Sci Technol. 2019 May 30;8(3):28. doi: 10.1167/tvst.8.3.28. eCollection 2019 May.

- 49 Ishikawa S, Shoji T, Nishiyama Y, Shinoda K.
A case with acquired lacrimal fistula due to Sjögren's syndrome.
Am J Ophthalmol Case Rep. 2019 Jul 23;15:100526.
- 50 Nishiyama Y, Yoshikawa Y, Shibuya M, Kanno J, Ozaki K, Sakaki Y, Katsumoto T, Makita J, Shoji T, Shinoda K
Macular Structure Recovery after Surgery for Optic Disc Pit Maculopathy
Case Rep Ophthalmol. 2019 Nov 29;10:408-414.
- 51 Hou H, Moghimi S, Zangwill LM, Proudfoot JA, Akagi T, Shoji T, Girkin CA, Liebmann JM, Weinreb RN.
Association between Rates of Retinal Nerve Fiber Layer Thinning following Intraocular Pressure Lowering Procedures and Disc Hemorrhage
Ophthalmology Glaucoma 2020;3:7-13
- 52 Matsumoto CS, Shibuya M, Makita J, Shoji T, Ohno H, Shinoda K, Matsumoto H.
Heads-Up 3D Surgery under Low Light Intensity Conditions: New High-Sensitivity HD Camera for Ophthalmological Microscopes
Journal of Ophthalmology;2019:5013463
- 53 Takano S, Hanabusa A, Yoshikawa Y, Sassa K, Shimura A, Shoji T, Ohde H, Shinoda K, Yamanouchi H.
Pattern Visually Evoked Potentials in Japanese Girl With Optic Neuritis and Seropositive to Anti-myelin Oligodendrocyte Glycoprotein (MOG) Antibody.
Front Neurol. 2019 Dec 19;10:1339.
- 54 Shibuya M, Yoshikawa Y, Katsumoto T, Shoji T, Kondo H, Miyakoshi H, Shinoda K.
Electroretinographic recordings with skin electrodes to assess effects of vitrectomy with gas tamponade on eyes with rhegmatogenous retinal detachment
Sci Rep. 2019 Dec 27;9(1):19948
- 2020 55 Shoji T, Kato N, Ishikawa S, Ibuki H, Yamada N, Kimura I, Shinoda K.
Association between Axial Length and In Vivo Human Crystalline Lens Biometry During Accommodation: A Swept-Source Optical Coherence Tomography Study
Jpn J Ophthalmol;64:93-101.2020
- 56 Ishikawa S, Shoji T, Yamada N, Shinoda K.
Bacterial Detection Rate and Surgical Outcome in Povidone-Iodine Irrigation After Nasolacrimal Duct Intubation.
Clin Ophthalmol. 2020 Jan 23;14:205-211
- 57 Penteado RC, Bowd C, Proudfoot J, Moghimi S, Manalastas PIC, Ghahari E, Hou H, Shoji T, Zangwill LM, Weinreb RN.
Diagnostic Ability of Optical Coherence Tomography Angiography Macula Vessel Density for the Diagnosis of Glaucoma Using Difference Scan Sizes
J Glaucoma. 2020 Apr;29(4):245-251
- 58 Kumagai T, Shoji T, Yoshikawa Y, Mine I, Kanno J, Ishii H, Saito A, Ishikawa S, Kimura I, Shinoda K.
Comparison of central visual sensitivity between monocular and binocular testing in advanced glaucoma patients using imo perimetry.
Br J Ophthalmol. 2020 Nov;104(11):1258-1534
- 59 Chino M, Yoshikawa Y, Kanno J, Nagashima T, Sakaki Y, Katsumoto T, Shibuya M, Shoji T, Makita J, Shinoda K.
Development and spontaneous closure of a secondary macular hole associated with submacular hemorrhage due to polypoidal choroidal vasculopathy: a case report.
BMC Ophthalmol. ;20(1):108.2020
- 60 Yoshikawa Y, Shoji T, Kanno J, Ibuki H, Weinreb RN, Araie M, Shinoda K.
Glaucomatous vertical vessel density asymmetry of the temporal raphe detected with optical coherence tomography angiography.
Sci Rep. 2020 Apr 22;10(1):6845.
- 61 Suda M, Yoshikawa Y, Terauchi G, Matsumoto S, Shoji T, Shinoda K, Mizota A, Kobayashi Y
Magnification Effect of Foveal Avascular Zone Measurement Using Optical Coherence Tomography Angiography
Biomed Hub. 2020 Jun 12;5(2):79-86.
- 62 Shoji T, Kanno J, Weinreb RN, Yoshikawa Y, Mine I, Ishii H, Shinoda K.
OCT Angiography Measured Changes in the Foveal Avascular Zone Area after Glaucoma Surgery
Br J Ophthalmol. 2020
- 63 Galina, Dimitrova Etsuo, Chihara Takehei, Shoji Kanno, Junichi Antonela, LjubicOlivera, Lazarova Ana, GjorgjiovskaDushan, Kemera
Immediate effect of Yoga exercises for eyes on the macular thickness
International Journal of Yoga. 13. 223-226. 2020.
- 64 Shoji T, Mine I, Kumagai T, Kosaka A, Yoshikawa Y, Shinoda K.
Age-dependent changes in visual sensitivity induced by moving fixation points in adduction and abduction using imo perimetry.
Sci Rep. 2020 Dec 3;10(1):21175. doi: 10.1038/s41598-020-78147-y.
- 2021 65 El-Nimri NW, Manalastas PIC, Zangwill LM, Proudfoot JA, Bowd C, Hou H, Moghimi S, Penteado RC, Rezapour J, Ekici E, Shoji T, Ghahari E, Yarmohammadi A, Weinreb RN.
Superficial and Deep Macula Vessel Density in Healthy, Glaucoma Suspect, and Glaucoma Eyes.
J Glaucoma. 2021 Apr 23. doi: 10.1097/JIG.0000000000001860.
- 66 Mine I, Shoji T, Kumagai T, Yoshikawa Y, Kosaka A, Shinoda K.
Central Visual Field Sensitivity with and without Background Light Given to the Non-tested Fellow Eye in Glaucoma Patients
J Glaucoma. 2021 Jun 1;30(6):537-544
- 67 Yoshikawa Y, Shoji T, Kanno J, Ibuki H, Ozaki K, Ishii H, Inami H, Shinoda K.
Examination of Age-Related Retinal Vascular Changes in the Macula Using Optical Coherence Tomography Angiography of the Eyes After Cataract Surgery.
Clin Ophthalmol. 2021 Sep 1;15:3687-3695. doi: 10.2147/OPHT.S323882. eCollection 2021.
- 68 Nishida T, Oh WH, Moghimi S, Yarmohammadi A, Hou H, David RCC, Kamalipour A, Shoji T, El-Nimri N, Rezapour J, M Zangwill L, Weinreb RN.
Central macular OCTA parameters in glaucoma.
Br J Ophthalmol. 2021 Aug 23;bjophthalmol-2021-319574. doi: 10.1136/bjophthalmol-2021-319574. Online ahead of print.
- 69 Shoji T, Ishii H, Kanno J, Sasaki T, Yoshikawa Y, Ibuki H, Shinoda K.
Distance between the center of the FAZ measured automatically and the highest foveal bulge using OCT-angiography in elderly healthy eyes
Sci Rep. 2021 Nov 2;11(1):21485.
- 70 Mori S, Tanito M, Shoji N, Yokoyama Y, Kameda T, Shoji T, Mizoue S, Saito Y, Ishida K, Ueda T, Nakamura M; TramTrac Study group.
Non-inferiority of Microhook to Trabectome: Trabectome vs. ab interno Microhook Trabectulotomy Comparative Study (TramTrac Study).
Ophthalmol Glaucoma. 2021 Nov 25;S2589-4196(21)00272-6.
- 71 Inami W, Yoshikawa Y, Shibuya M, Kanno J, Kikuchi S, Sakaki Y, Katsumoto T, Shoji T, Makita J, Shinoda K.
Quantitative assessment of macular function after surgery for optic disc pit maculopathy: A case report.
Medicine (Baltimore). 2021 Dec 23;100(51):e28254.
- 2022 72 Igawa Y, Shoji T, Weinreb R, Miyake Y, Yoshikawa Y, Takano S, Shinoda K
Early changes in photopic negative response in eyes with glaucoma with and without choroidal detachment after filtration surgery.
Br J Ophthalmol. 2022 Apr 8;bjophthalmol-2021-320730. doi: 10.1136/bjophthalmol-2021-320730.
- 73 Shinoda K, Matsumoto SC, Yagura K, Terauchi G, Shoji T, Yoshikawa Y, Igawa Y, Mizota A, Miyake Y.

- Intraocular Temperature Distribution in Eyes Undergoing Different Types of Surgical Procedures during Vitreous Surgery.
J Clin Med. 2022 Apr 6;11(7):2053.
- 74 Yoshikawa Y, Shoji T, Kanno J, Ishii H, Chino M, Igawa Y, Shinoda K, Miyake Y.
Relationship Between Deep Retinal Macular Vessel Density and Bipolar Cell Function in Glaucomatous Eyes.
Transl Vis Sci Technol. 2022 Oct 3;11(10):4. doi: 10.1167/tvst.11.10.4.
- 75 Sasaki T, Shoji T, Kanno J, Ishii H, Yoshikawa Y, Ibuki H, Shinoda K.
Automatic Determination of the Center of Macular Hole Using Optical Coherence Tomography En Face Images.
J Clin Med. 2022 Jun 2;11(11):3167. doi: 10.3390/jcm11113167.
- 76 Kanno J, Shoji T, Ishii H, Ibuki H, Yoshikawa Y, Sasaki T, Shinoda K.
Deep Learning with a Dataset Created Using Kanno Saitama Macro, a Self-Made Automatic Foveal Avascular Zone Extraction Program.
J Clin Med. 2022 Dec 26;12(1):183. doi: 10.3390/jcm12010183.
- 2023 77 Kiuchi Y, Inoue T, Shoji N, Nakamura M, Tanito M; Glaucoma Guideline Preparation Committee, Japan Glaucoma Society.
The Japan Glaucoma Society guidelines for glaucoma 5th edition.
Jpn J Ophthalmol. 2023 Mar;67(2):189-254. doi: 10.1007/s10384-022-00970-9. Epub 2023 Feb 13.
PMID: 36780040
- 78 Makita J, Yoshikawa Y, Kanno J, Igawa Y, Kumagai T, Takano S, Katsumoto T, Shoji T, Shibuya M, Shinoda K.
Electroretinographic and Optical Coherence Tomographic Evaluations of Eyes with Vitreoretinal Lymphoma.
J Clin Med. 2023 Jun 9;12(12):3957. doi: 10.3390/jcm12123957.

